


Opastus Hörmann Arkkitehti -ohjelman käyttöön BIM-mallien lataamiseksi

Avaa sivusto: <https://www.hoermann.com/en/> ja valitse ylävalikosta **1** Architects' Program.



Architects' Programme


With just a few clicks, Hörmann's Architects' Programme lets you generate individual texts for invitation of tenders quickly and conveniently and also use drawings of Hörmann products. Planning with Hörmann products is now even easier thanks to a modern, user-friendly interface. Clearly structured navigation via drop-down menus and symbols, as well as a search function, give you faster access to **tender specifications** and **drawings** (in DWG and PDF format) of over **650 Hörmann products**. Photo-realistic presentations provide additional information on many products.

[Go to Online version](#)



Seuraavaksi valitaan **2**, *Go to Online version*.

Seuraavalla sivulla valitaan kieli, esim. *General English*.



Hakukenttään **1** voidaan syöttää oven malli, jonka jälkeen voi suodattaa valinnalla **2** *only BIM*, näkyviin vain tietomallit sisältävät ovituotteet. Valitaan kohdassa **3** haluttu ovimalli ja klikataan **4** *BIM models*.

HORMANN
Architect's Programme
Version 2019 (16.1) GEN

All products Residential buildings Commercial buildings

Doors Garage doors Hinged doors Loading technology Vehicle access control Operators

Industrial doors Fire doors Collective garage doors Shop doors Garage doors Steel fire-rated doors Multi-purpose and project doors FSRS elements as frame elements Entrance Doors Automatic doors Dock levelers Dock

1

2 Only BIM

3 FST 30-1
FST 30-2
FST 90-1
FST 90-2

4 BIM models

Tender texts Drawings **BIM models** Images/photos

Hörmann steel fire sliding door FST 30-1
DIBT approval no.: Z-6.20-2041
with Environmental Product Declaration (EPD*) acc. to ISO14025 and prEN15804 *ift Rosenheim EPD-FTO-0.7.
Dimensions (width x height): 1000-8500 x 2000-6000 mm
Application areas: Commercial construction, administrative buildings, hospital construction, fire protection

The images shown just serve as examples

Lopuksi valitaan vielä ohjelmisto, joko **1** Revit tai ArchiCad malli ja **2** Download .

Jos on tarvetta IFC-tiedostoille, klikatkaa **3** Request ifc- files

